1006-4

Sanitized - Approved For Release : CIA-RDP62-00680R000100090006-3

CONFIDENTIAL

Chief, Requirements Branch, Intelligence Information Staff, ORR

7 January 1959

Acting Chief, Map Library Division, CRR

Follow-up on Map Library Requirements

- 1. A status report on the following requirements would be appreciated:
 - a. ND-C-1891 To St/I/RR 15 May 1958 No response has been received to this.
 - RD-C-1910 To St/I/RR in June 1958 No response.
 - e. DS-827 To St/I/RR in August 1958 To response.
 - Case 27783 (CD/00 case) Requirements for Large Dams Conference to St/I/RR 4 September 1958. Conference was in H. Y. during September. To response.
 - ND-C-1988 To St/I/RR on 5 September 1958 No response.
 - f. DS-833 To St/I/RR on 19 September 1958 No response.
- 2. There was every indication of collection potential on all of the above. It is possible that some response has been received in the Agency that has not been brought to our ettention.
- 3. In general, we feel that some response other than a misseographed form is in order for all requirements. The time in which a response might be received will, of course, vary.
- 4. If St/I/RR carnot follow-up on these requirements, this Division will undertake to do so with the 00/C and FI components concerned.

25X1A9a

Distribution:

OER/D/GL

0 & 1 - Addressee

1 - OCh/G

2 - D/GL

25X1A9a

sks/2273 (Dec 29 1958)

8 JAN 19**59**

JUNIO THE